



ISIKON System 30mm,
SLIDEKON System
for Ankara Gamador Aura project Implemented.

Catalog | Katalog

www.alkoncambalkon.com

ISIKON[®]
DOUBLE GLAZING BALCONY SYSTEMS



Smart Glazing Solutions

Akıllı Cam Çözümleri

**Meet the New Generation
Professional Glazing Balcony System**

**Yeni Nesil Profesyonel Cam
Balkon Sistemi İle Tanışın**

www.alkoncambalkon.com

"Alkon Registered Trademarks"

Alkon Tescilli Markalar

Isikon®

Airkon®

Giyokon®

Prokon®

Slidekon®

Alcordion®



Alkon systems do not require maintenance. Steel stainless bearings, with end-to-end parts produced with pure raw materials, polymer carbon coated dust covers and polyamide accessories, are non-polluting products that are compatible with humid, dusty and wet environments.

Alkon systems bakım gerektirmemektedir. Çelik paslanmaz rulmanlar saf ham madde ile üretilmiş uçtan uca aksamlar, polimer karbon kaplamalı tozlu kapakları ve polyemid aksesuarlar ile nemli tozlu ıslak ortamlara uyumlu kirlenmez ürünlerdir.

Giyokon System *Giyokon Sistem*

Prokon System *Prokon Sistem*

Isikon System 30mm *Isikon Sistem 30mm*

Isikon Plus System *Isikon Plus Sistem*

Isikon System 24mm *Isikon Sistem 24mm*

Slidekon System *Slidekon Sistem*

Airkon System *Airkon Sistem*

Alcordion System *Alcordion Sistem*

**Alkon builds safe, comfortable, and long-lasting
new living spaces with its products whose quality
is recognized worldwide.**

Alkon, kalitesi dünya çapında tanınan ürünleri ile güvenli,
konforlu ve uzun ömürlü yeni yaşam alanları sunar.





ABOUT US

Alkon Aluminum and Glas Balcony Systems San. Tic. Sti. was founded in 2008. Alkon aluminum; has to produce the knowledge and experience of the user-friendly and budget-friendly quality products with the principle. We work in the sector, balcony glazing, folding systems and sliding systems, glass systems, double-glazed glass balconies, sliding, guillotine and window systems. Thanks to its competent team and uncompromising determination, today's Isikon brand has produced a glass balcony system under the brand name.

The values that make us we are; honesty, business ethics, ethical business quarters, occupational safety and without stopping work, we are always moving forward to be the best in the industry.

Alkon Glazing Balcony Systems Aluminum & Construction Co. Ltd.

HAKKIMIZDA

Alkon Alüminyum ve Cam Balkon Sistemleri San. Tic. Ltd. Şti. 2008 yılında kurulmuştur. Alkon Alüminyum; Prokon Seri, Cam Balkon, Isikon Seri, ısıcamlı Cam Balkon, Kenetli Sürme ve Giyotin Sistemi, vitrin sistemleri konusunda sektördeki bilgi birikimi ve deneyimi sayesinde kullanıcı dostu ve bütçe dostu kaliteli ürünler üretmeyi prensip edinmiştir. Alanında uzman ekibi ve hız kesmeyen azmi sayesinde bu gün Isikon markası altında ısıcamlı Cam Balkon sistemini üretmiştir. Isikon markasının yanı sıra Prokon seri Cam Balkon sistemi ile de sektördeki en iyi Cam Balkon sistemleri arasında yerini almıştır. Firmamız kalite ve estetiği bir arada sunarak müşteri memnuniyetini sağlamak için çalışmaktadır.

Bizi biz yapan değerlerden; dürüstlük, iş ahlakı, etik iş kuralları, iş güvenliği ve çalışma disiplininden vazgeçmeden, sektöründe daima en iyi olmak adına ilerlemektedir.

Alkon Cam Balkon Sistemleri Alüminyum ve İnşaat Ltd. Şti.



ISO 9001: 2015



ISO 14001: 2015
ISO 45001: 2018



Extra Safe and Robust Against Wind and Impacts

Giyokon System, which has specially designed resistance channels against flexing, can be applied in 4000mm width. Thanks to this feature, it stands out from other guillotine systems. Giyokon is designed with superior features against flexing, wind and impact.

Rüzgara ve Darbelere Karşı Ekstra Güvenli ve Sağlam.

Esnemelere karşı özel dizayn edilmiş direnç kanallarına sahip olan Giyokon System, 4000mm genişlikte uygulanabilir. Bu özelliği sayesinde diğer giyotin sistemlerinden öne çıkmaktadır. Giyokon esnemeye, rüzgara ve darbeye karşı daha üstün özelliklerle tasarılmıştır.



Technical Details / Teknik Detaylar

Maximum System Height

Maksimum Sistem Yüksekliği

--- 3000 mm

Maximum Panel Width

Maksimum Kanat Genişliği

--- 4000 mm

Maximum Panel Width

Cam Kalınlığı

--- **24MM Glass 4+16+4 (8MM)**

--- 24MM Cam 4+16+4 (8MM)

Maximum Panel Width

Cam Tipi

--- **Double Glass-Single Glass**

--- Isıcam - Tek Cam (8mm)

System Operation

Açılma Şekli

--- **Remote Control**

--- Uzaktan Kumanda

Profile Colours (in Stock)

Profil Renkleri (Stokta)

--- **Anodized-Bright Bronz-7016 Anthracite Grey-Ral Colours**

--- Eloksal-Parlak Bronz-7016 Antrasit Gri-Ral Renkleri

Polyamide Panel Cap Colour (in Stock)

Poliamit Kanat Kapak Renkleri (Stokta)

--- **Black**

--- Siyah

GIYOKON Guillotine Glass Balcony System

System; It moves vertically at the bottom of the wing structure, provides easy use with a panoramic view and a removable feature, thanks to the opening scissors. It is superiorly secure with its espagnolette double locking equipment. It is suitable for use in your architectural structures where you attach importance to aesthetics and security. This new System has many advantages. The wingspan position can be used at any desired rate with the automation feature with a silent motor operated and used by remote control. This system has high carrying capacity and a thick-toothed steel chain hidden in the side profiles and an alternative 10-row steel rope trigger; Winter garden, Veranda, Pergola Awning, Terrace, Shop, Showcase, Pool, Balcony, Window, Room Partition etc. You can easily close your areas both safely and aesthetically, and now use these areas as a room.



New Generation Guillotine System GIYOKON

The vertically opening system is very suitable for the safety of children, disabled and elderly people when used fully automatically. Our system, which provides heat and sound insulation when closed, becomes a glass railing (handrail) when it is turned to the open position. The glasses can be kept in the desired position, or the number of glasses can be applied as (1+2).(1+3) depending on your size and the situation of your project. This system will give you confidence with its 8mm and 4+16+4 double glazing and tempered glass alternatives. You can request our Guillotine System in the RAL colors you want, with anodized surface treatment or wood processing. At the same time, our system is max. height 4000 mm and max. We can design projects up to 4000 mm.

Glass balcony with Prokon 8-10mm a new look

Prokon was born to solve all the problems you compare. Easy to assemble, easy to use and proven customer experience.

Prokon 8-10mm ile cam balkona yeni bir bakış

Prokon karşılaştırdığınız tüm problemlere çözüm için doğmuştur. Montajı kolay kullanımı kolay müşteri deneyimi kanıtlanmış birüründür.



Technical Details / Teknik Detaylar

Maximum System Height

Maksimum Sistem Yüksekliği

--- 2800 MM

Maximum Panel Width

Maksimum Kanat Genişliği

--- 800 MM

Maximum Panel Width

Cam Kalınlığı

--- 8 MM / 10 MM

Maximum Panel Width

Cam Tipi

--- Single Glass

--- Tek Cam

System Operation

Açılma Şekli

--- Espagnolette Lock and Rope

--- İspanyolet Kilit ve İp

Profile Colours (in Stock)

Profil Renkleri (Stokta)

--- Anodized-Bright Bronz-7016 Anthracite Grey-Ral Colours


--- Eloksal-Parlak Bronz-7016 Antrasit Gri-Ral Renkleri

Polyamide Panel Cap Colour (in Stock)

Poliamit Kanat Kapak Renkleri (Stokta)

--- Black ve Gray

--- Siyah ve Gri



Prokon seri cam balkon farklı istek ve kullanım amaçlarına uygun olarak üretilmiş bu nedenle oldukça talep gören sistemlerimizden birisidir. Teknik özellikleri açısından kullanışlı ve farklı mekanların kullanım alanlarını genişletmesi açısından da fonksiyonel bir yapıya sahiptir.

Sistemin Teknik Özellikleri; Kasa Profili; çift rulmanı taşıyacak şekilde 2 kanallı olarak dizayn edilmiştir. Prokon sistem bazaları 8-10mm temperli cam kullanımına uygun olarak üretilmiştir. Sistemin eloksal (naturel), beyaz, parlak bronz standart renk seçenekleri mevcuttur. Gelen talebe bağlı olarak özel 215 çeşit renk seçenekleri de uygulanabilir. Bu sistemde istenildiğinde üstten taşılmalı olarak monte edilme imkanına sahiptir.

Sliding folding glass balcony system, 8mm roped on four sides, decorated with tempered glass and system profiles.

Low noise in the functionality, wing profiles with high resistance to wear and cold heat are designed so that they can be opened to the inside and open depending on the balcony structure and your desire to the left or right.

Prokon series glass balcony is one of our highly demanded systems, as it is produced to suit different demands and usage purposes. It has a useful structure in terms of its technical features and a functional structure in terms of expanding the usage areas of different spaces.

Technical Specifications of the System; Case Profile; It is designed with 2 channels to carry double bearings. Prokon system bases are produced suitable for the use of 8-10mm tempered glass. The system is available in anodized (natural), white and bright bronze standard color options. Depending on demand, 215 special color options can also be applied. This system has the possibility of being mounted from the top when desired.



Isikon System 30mm


Double Glazed Balcony System

New Generation Insulated Glazing Balcony ISIKON !

Alkon is one of the leading suppliers of glazing balcony systems with high-quality aluminium. Alkon products are used millions of times worldwide and meet the highest demands in terms of design, comfort, safety and energy saving.

Yeni Nesil Isıçamlı Cam Balkon ISIKON !

Alkon, yüksek kaliteli alüminyum ile cam balkon sistemlerinin lider tedarikçilerinden biridir. Alkon ürünleri dünya çapında milyonlarca kez kullanılmaktadır. Tasarım, konfor, güvenlik ve enerji tasarrufu bakımından en yüksek talepleri karşılar.



Technical Details / Teknik Detaylar

Maximum System Height

Maksimum Sistem Yüksekliği

--- 2800 MM

Maximum Panel Width

Maksimum Kanat Genişliği

--- 800 MM

Maximum Panel Width

Cam Kalınlığı

--- 4+22+4(30MM)

Maximum Panel Width

Cam Tipi

--- Double Glass

--- Çift Cam

System Operation

Açıılma Şekli

--- Espagnolette Lock

--- İspanyolet Kilit

Profile Colours (in Stock)

Profil Renkleri (Stokta)

--- Anodized-Bright Bronz-7016 Anthracite Grey-Ral Colours

--- Eloksal-Parlak Bronz-7016 Antrasit Gri-Ral Renkleri

Polyamide Panel Cap Colour (in Stock)

Poliamit Kanat Kapak Renkleri (Stokta)

--- Black - Gray

--- Siyah - Gri

Isikon System 30mm

Double Glazed Balcony System

New Generation Insulated Glass Balcony ISIKON !


Alkon is one of the leading suppliers of glass balcony systems with high quality aluminium. Alkon products are used millions of times worldwide and meet the highest demands in terms of design, comfort, safety and energy savings.

Espagnolette Lock System

Alkon espagnolette lock provides security and comfort thanks to its 3-point non-stretching steel pins. In addition to offering an ethical solution against theft, it has an aesthetic appearance. You are safe with Alkon.



Insulated double glazed sliding folding glass balcony system, 30 mm (4 + 22 + 4) roped on four sides, decorated with tempered glass and system profiles. Low noise in the functionality, wing profiles with high resistance to wear and cold heat are designed so that they can be opened to the inside and open depending on the balcony structure and your desire to the left or right. ISIKON is compatible with, Flat and all grade balconies.



ISIKON Curtain Applications

Thanks to its superior features, the Isikon guide router works without interfering with the use of curtains by automatically closing. Isikon has a wide range of curtain applications. It is fully compatible with blinds and spring roller blinds. In addition to the curtain application, Isikon is compatible with all optional glass types thanks to comfort glass and reflective glasses that block sunlight.

ISIKON Water Blocking Barrier Dropper System

This system discharges rainwater and liquids formed by steam the inclined dropper water outlet.




With water drainage and sloping flooring, your glass balconies are designed to minimize the ingress of water. Between the aluminum wings you have both thermal and acoustic insulation as well as a longterm investment. In our system, the Glass joint is woven with Aluminium routing, hair wick and epdm gasket. We have the ability to adjust the diameter with our customization profiles. This completes your visualization. When you collect the wings, we have a mounting attachment that prevents the wings from moving involuntarily.

Isikon Plus System

Double Glazed Balcony Systems

The Isikon+Plus insulating glass series is designed with a difference of %50 thermal insulation compared to 8mm glass balconies. The Isikon+Plus Insulating Glass Series has insulating devices in combination with insulating glass panels, 6-point insulating brush, EPDM sealing pressure and insulating devices. ISIKON PLUS SERIES Holds the balconies with 4+16+4 double glazing at room temperature. The ISIKON+Plus SERIES reduces glass reflections to zero by locking them from 3 points with Espagnolette locking. You can use Isikon+Plus Series Window as you open and close. Isikon+Plus can be adapted with 8-10mm Glass with its Optional Profile used in Balcony System.



Technical Details / Teknik Detaylar

Maximum System Height

Maksimum Sistem Yüksekliği

--- 2800 MM

Maximum Panel Width

Maksimum Kanat Genişliği

--- 800 MM

Maximum Panel Width

Cam Kalınlığı

--- 4+16+4 (24MM)

Maximum Panel Width

Cam Tipi

--- Double Glass

--- Çift Cam

System Operation

Açılma Şekli

--- Espagnolette Lock

--- İspanyolet Kilit

Profile Colours (in Stock)

Profil Renkleri (Stokta)

--- Anodized-Bright Bronz-7016 Anthracite Grey-Ral Colours

--- Eloksal-Parlak Bronz-7016 Antrasit Gri-Ral Renkleri

Polyamide Panel Cap Colour (in Stock)

Poliamit Kanat Kapak Renkleri (Stokta)

--- Black - Gray

--- Siyah - Gri

Isikon Plus System

Double Glazed Balcony Systems




ISIKON Sound Insulation Barrier

Compared to air pollution, noise has a greater impact on your quality of life and causes psychological problems. Sail into silence. We offer stress-free, noiseless living spaces with Isikon sound insulation.

ISIKON Ses Yalitim Duvari Bariyeri

Gürültü, hava kirliliğine kıyasla yaşam kalitenizi düşüren ve psikolojik sorunlara yol açan büyük bir etkiye sahiptir. Sessizliğe yelken açın. Isikon ses yalitimı ile stresten uzak gürültüsüz yaşam alanları sunuyoruz.



Isikon System 24mm

Double Glazed Balcony Systems

An Extraordinary Thermal Insulation That
Exceeds Your Expectations.

If a single glass is used in Folding Glass Systems, it completely prevents heat loss. It is not possible to prevent it. ISIKON, Double Glazed Glass Balcony Systems, in terms of thermal insulation. Since it is fully equipped, it provides a complete room environment on your balconies. Glass joints are supported with aluminum wick, hair wick and alternative EPDM gasket. ISIKON, double glazing, reduces heat losses by 50% compared to single glass.

Beklentilerinizin Üzerinde, Sıra Dışı Bir Isı Yalıtımı.

Katlanır Cam Sistemlerinde tek Cam kullanılması durumda, Isı kaybını tamamen önlemek mümkün değildir. ISIKON, Isıcamlı Cam Balkon Sistemleri, Isı yalıtımı açısından tam donanıma sahip olduğu için Balkonlarınızda tam bir oda ortamı sağlamakdadır. Cam bireşim araları Alüminyum filil, kıl filil ve alternatif EPDM conta ile desteklenmiştir. ISIKON, Isıcam, Isı kayıplarını tek camla oranla %50 azaltmaktadır



ISIKON

Technical Details / Teknik Detaylar

Maximum System Height Maksimum Sistem Yüksekliği	---	2800 MM
Maximum Panel Width Maksimum Kanat Genişliği	---	800 MM
Maximum Panel Width Cam Kalınlığı	---	4+16+4(24MM)
Maximum Panel Width Cam Tipi	---	Double Glass Çift Cam
System Operation Açılma Şekli	---	Espagnolette Lock İspanyolet Kilit
Profile Colours (in Stock) Profil Renkleri (Stokta)	---	Anodized-Bright Bronz-7016 Anthracite Grey-Ral Colours Eloksal-Parlak Bronz-7016 Antrasit Gri-Ral Renkleri
Polyamide Panel Cap Colour (in Stock) Poliamit Kanat Kapak Renkleri (Stokta)	---	Black - Gray Siyah - Gri

Isikon System 24mm

Double Glazed Balcony Systems



New Generation Double Glazed Glass Balcony ISIKON

It has 6 times more insulation equipment than normal glass balconies. Alkon offers a 2-year service warranty and a 10-year parts supply guarantee to dealers and end users. Isikon soft offers clean and safe living spaces with stain-resistant paint color options. Alkon products have widespread sales with proven customer experience and service network. Alkon products do not require maintenance. Steel stainless bearings, with end-to-end parts produced with pure raw materials, carbon-coated dust covers and polyamide-coated accessories, are non-polluting products that are compatible with humid, dusty and wet environments.

Yeni Nesil Isıçamlı Cam Balkon ISIKON

Normal cam balkonlara göre 6 kat daha fazla yalıtım donanımına sahiptir. Alkon 2 yıl servis garantisi 10 yıl parça temin garantisi bayilere ve son kullanıcılar sunmaktadır. Isikon soft leke tutmaz boyalı renk seçenekleri ile temiz ve güvenli yaşam alanları sunar. Alkon ürünleri müşteri deneyimi kanıtlanmış yaygın satış ve servis ağına sahiptir.

Alkon ürünleri bakım gerektirmemektedir. Çelik paslanmaz rulmanlar saf ham madde ile üretilmiş uçtan uca aksamlar, karbon kaplama tozluk kapakları ve polyemิต kaplama aksesuarlar ile nemli tozlu ıslak ortamlara uyumlu kırlenmez ürünlerdir.



Slidekon System

Sliding Glazing Balcony Systems

A New Look at the Sliding Glass Balcony With Slidekon.

Slidekon is designed to solve all the problems you face. It is a product that is easy to install, easy to use and has a proven track record.

Slidekon Seamless Sliding Series With and Without Threshold

It allows the glass to be collected by sliding sideways in the applied area, thus saving space in the interior and providing more usage area. It provides more spacious use in narrow application not obstruct the exit points, reduces the glass stretching rate to zero thanks to the interlocking aluminum wicks at the glass joints, and is water, wind and dust-proof. With Threshold, Without Threshold, Interlocking Sliding Series has 2 rails, 3 rails, 4 rails, 5 rails, and can be opened to the right and left, sliding sideways from 2 to 10 glasses. Each panel has 2 roller carries, 150 kg. The carrier rollers are designed with 2 bearings.



Technical Details / Teknik Detaylar

Maximum System Height

Maksimum Sistem Yüksekliği

--- **3500 MM**

Maximum Panel Width

Maksimum Kanat Genişliği

--- **1100 MM**

Maximum Panel Width

Cam Kalınlığı

--- **(8MM-10MM)-4+12+4(20MM)**

Maximum Panel Width

Cam Tipi

--- **Double Glass - Single Glass**

--- Isıcam - Tek Cam

System Operation

Açılma Şekli

--- **Espagnolette Lock**

--- İspanyolet Kilit

Profile Colours (in Stock)

Profil Renkleri (Stokta)

--- **Anodized-Bright Bronz-7016 Anthracite Grey-Ral Colours**

--- Eloksal-Parlak Bronz-7016 Antrasit Gri-Ral Renkleri

Polyamide Panel Cap Colour (in Stock)

Poliamit Kanat Kapak Renkleri (Stokta)

--- **Black - Gray**

--- Siyah - Gri

Slidekon System


Sliding Glazing Balcony Systems



Slidekon New Generation Height Adjustable Wheel System

With 4 bearings, the weight of the panel is balanced by the height adjustment screw, providing quiet and comfortable use. It provides heat insulation, water insulation and sound insulation with air breakers at the 4 corners of the panels. All parts used in the system are stainless. Three types of locks are used in the system. Cock lock with key Aluminum clip lock, Aluminum pool lock. Two interlocking Aluminum insulation wicks are used in each glass. It provides easy manufacturing and installation thanks to the guide cover at vertical profile joints. It is applied as L, U, Flat (90o - 270o) 2 panels and multiple combinations in winter garden, showcase glass and balcony types. Seamless sliding series glass with and without threshold. 8mm, 10mm and 4+12+4 double glazing can be used in both systems.

ALKON PNEUMATIC PUNCH DEVICE
ALKON-101 MODEL



MEKANİK KESİM VE TAHLİYE İŞLEMLERİ
(WATER DISCHARGE OUTPUT PROCESS)



Slidekon Yeni Nesil Yükseklik Ayarlı Teker Sistemi

4 Rulmanla panel ağırlığı yükseklik ayar vidası ile dengelenerek sessiz ve rahat kullanım sunar. Panellerin 4 köşesinde hava kesiciler ile ısı yalıtımları, su yalıtımları ve ses yalıtımları sağlanmaktadır. Sistemde kullanılan tüm parçalar paslanmaz özelliğe sahiptir. Sistemde üç çeşit kilit kullanılmaktadır. Anahtarlı horoz kilit, Alüminyum klepsi kilit, Alüminyum havuz kilit. Her camda iki adet kenetlenen Alüminyum yalıtmış fitili kullanılmaktadır. Dikey profil birleşim noktalarına kılavuz kapak sayesinde kolay imalat ve montaj imkanı sağlar. Kış bahçesi, Vitrin camları, Balkon çeşitlerinde L, U, Düz (90o - 270o) 2 panel ve çoklu birleşimli olarak uygulanır. Eşikli ve eşiksiz kenetli serme seri cam kullanımı her iki sistemde de 8mm ve 10mm ve 4+12+4 ıslıcam kullanılabilir.



Alkon Safe Lock


Alkon Güvenli kilit

Alkon Espagnolette lock provides security and comfort thanks to it's 3-point rigid steel pins. In addition to providing an effective solution against theft, it has an aesthetic appearance.

You are safe with Alkon.

Alkon İspanyolet kilit 3 noktadan esnemeyen çelik pimler sayesinde güvenlik ve konfor sağlamaktadır. Hırsızlığa karşı etkili çözüm sunmanın yanı sıra estetik bir görünüme sahiptir.

Alkon ile güvendesiniz.



Alkon Espagnolette arm is with you so that you can live safely with your family. We design safe living spaces with quality products. Easy-to-use locking hardware.



Gamador Aura Project

Gamador Aura Projesi




Alkon products do not require maintenance. Steel stainless bearings, with end-to-end parts produced with pure raw materials, carbon-coated dust covers and polyamide-coated accessories, are non-polluting products that are compatible with humid, dusty and wet environments.

**ISIKON System 30mm,
SLIDEKON System
for Ankara Gamador Aura project Implemented.**

**Ankara Gamador Aura Projesine
Isikon 30mm System
Slidekon System
Uygulaması yapılmıştır.**

Airkon System

Air Piston WindBreaker System



Bas-aç kilitli mekanizma ile kolay kullanım sunar rüzgarı engeller ve doğadan gelecek tüm etkenleri engeller. Rüzgar kırıcı ile havanızın kontrolünü sağlarsınız deniz sahillerinde restoranlar ve cafe açık alanlarını korunaklı mekanlar haline getirmenin en kolay yolu Airkon system ile kesin çözüm.

Blocks wind and most factors of nature, easy of use with push-open button locking mechanism. Wind Blocker system is functional product that provide protection at living space against harsh and cold wind weather condition effects by carrying the air flow upwards.

Wind waves are blocked by the Wind Blocker.



Airkon System fonksiyonel ve işlevsel bir ürün olması ile yaşam alanlarında oluşum gösteren sert ve soğuk rüzgarların etkilerini bu havalar da hava akışını yukarı olacak şekilde taşıyarak koruma sağlamaktadır. Bununla birlikte gelen rüzgar dalgaları rüzgar kırıcı panel ile engellenmiş olmaktadır.

Conclusive solution with AIRKON for cafes and restaurants near to coastline to creat windless airspace, sustain comfortable closeable and extensile areas.





Technical Details / Teknik Detaylar

Maximum System Height

Maksimum Sistem Yüksekliği

--- 3800 MM

Maximum Panel Width

Maksimum Kanat Genişliği

--- 1100 MM

Maximum Panel Width

Cam Kalınlığı

--- 10MM

Maximum Panel Width

Cam Tipi

--- Single Glass

--- Tek Cam

System Operation

Açılma Şekli

--- Keyed Lock

--- Anahtarlı Kilit

Profile Colours (in Stock)

Profil Renkleri (Stokta)

--- Anodized-Bright Bronz-7016 Anthracite Grey-Ral Colours

--- Eloxal-Parlak Bronz-7016 Antrasit Gri-Ral Renkleri

Polyamide Panel Cap Colour (in Stock)

Poliamit Kanat Kapak Renkleri (Stokta)

--- Gray

--- Gri

Alcordion System

Hanging Accordion Glazing Systems



Showcase System especially in shopping malls, stores, cafes, fast-food areas, holiday villages, patisserie, etc. It is a system designed for areas. System. Suspended movement on upper carrier construction and Aluminum rails it does. It is functional and aesthetic in architectural structure. Unwanted image and area eliminates loss. Wind, rain, dust and adverse weather conditions. Provides 85% protection from its effects.





Facility Address: Taşdelen Caddesi No/22
Siteler-Ankara/Türkiye

Phone: 0312 353 54 04 **Fax:** 0312 353 54 03

Web: www.alkoncambalkon.com

Mail: info@alkoncambalkon.com

ISIKON
DOUBLE GLAZING BALCONY SYSTEMS



ISO 9001: 2015



ISO 14001: 2015

ISO 45001: 2018

